
# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



Washington, D. C.

Pile & Bellevue & Nursery

TRADE LIST OF

# American Plants and Shrubs



COLLECTED AND GROWN BY

Wm. F. Bassett & Son,

Hammonton, New Jersey, U.S.A.



## Ferms and Remarks.

Our Terms are net cash, and are for the quantities named, except that 5, 50 and 500 will be furnished at the ten, hundred, and thousand rates respectively. Parties not known by us to be responsible and reliable will be expected to send cash with order, or good references.

Shipping Facilities. Our nurseries are within thirty miles of Philadelphia (two railroads), and one hundred miles from New York, and freight rates very low.

Mailing Plants. Small orders will be filled by mail, when so requested, where the size of the plant will permit; but postage will be added to all bills so forwarded.

Collected Plants. This is our original specialty, and we collect plants in New Jersey, Pennsylvania, Delaware and Maryland, and we also have arrangements with special collectors in the New England and other states. This collecting is all done by skilled men, and the plants so collected are not to be compared with "cheap collected plants" pulled up by irresponsible parties at so much per thousand. We aim to get the very best, especially in those species that are difficult to transplant, and we send out only such as we could succeed with ourselves; but as we cannot control weather conditions or other circumstances where we send them, we cannot, of course, assume any responsibility farther than to ship them in good order.

**Transplanted Stock.** To meet the wants of an increasing list of customers, we have for several years been transplanting the best varieties of our native shrubs and hardy plants into our nursery grounds, and growing them under culture for one or more years.

**Packing**, which is done in a most thorough manner, is charged at cost. We use the best of sphagnum moss.

# To our Suropean Friends.

We have a good list of European customers, and our system of packing is such that our shipments have arrived in perfect condition. We wish, however, to say to this class of customers that Fall orders are much more desirable, as the dormant condition of stock shipped at that season admits of closer packing, and consequently safer transit.

# Movelties and Specialties.

#### Amelanchier Rotundifolium

We have found this so much superior to Amelanchier Canadensis in every respect, that we unhesitatingly recommend it. Its style of growth is more compact, the foliage is more dense, and of a richer, darker green, turning to rich shades of crimson and gold in Autumn; and the strain we offer produces, in great abundance, berries which are much larger, less seedy, and of better flavor than any other June Berry. For cooking, when used with pie cherries, equal quantities of each, they make better pies and puddings than cherries alone.

### Pyrus Brilliantissima

It is not necessary to say to those who are familiar with the common Pyrus arbutifolia, that the fruit varies in color from red to almost black, and that the greater portion, even of those which are light red when first ripening, turn quite dark and dull later in the season. Our Brilliantissima has been propagated from a few plants we found, which produced bright scarlet berries and retain their bright color until late in the Winter. This is so decidedly superior to the ordinary form that the little difference in first cost is not worth considering. Our stock of this is unusually fine.

### Hibiscus Crimson Eye

This, the finest of all the hardy Hibiscus, was introduced by us and has been steadily gaining in popularity, and our sales of it increase largely every year. We also introduced the Rose Pink Hibiscus, and we are among the very few who offer Hibiscus Militaris, both fine varieties.

### Hardy Perennials

Special attention is called to our large and varied stock of Hardy Perennials. Our stock includes the very best standard varieties, and many of the newer sorts. On large orders, one thousand or more, we can quote special prices.

#### Plants not in this List

There are many native plants not included in this list, which we can collect if desired. We can collect nine varieties of Eupatorium, twenty varieties of Aster, eighteen varieties of Solidago, and many others.

#### Dahlias

Our stock of Dahlias includes the best standard varieties and the cream of the newer sorts,—about two hundred varieties. Dahlia list mailed on application.

#### Seeds

We collect American tree and shrub seeds on orders only. Prices quoted on application.

### Large Plants

We make a specialty of large plants, collected with ball of earth, in carload lots. In this list may be mentioned Ilex glabra, Ilex opaca, Kalmia latifolia, Azalea viscosa, Vaccinium corymbosum, Viburnum cassinoides, etc. These are unusually fine specimens of each variety, ranging in size from one to six feet, according to variety. Special prices on carload lots.

# HARDY PHLOX.

### A Select List of the Best Varieties.

We are propagating a large quantity of the best varieties of Hardy Phlox. They will be ready for delivery about March 1st,—strong plants from  $2\frac{1}{2}$  inch pots. We quote the following twenty-four varieties as the cream, and the very best that can be found anywhere. We can supply many other varieties if desired.

We have a large stock of Phlox, "The Pearl," in open ground, now ready for immediate shipment. This is the best *pure white* Phlox grown.

### Collection of Hardy Phlox

Spring delivery, from 21/2 inch pots.

Aquilan. Pink, in variable shadings.

Beranger. White, suffused with pink, rosy lilac-eye.

Bridesmaid. Pure white, with large crimson center.

Champs Elyssee. Intensely rich purplish crimson.

Bacchante. Dark crimson, shading lighter at center.

Eclaireur. Purplish crimson with light halo.

Emblazement. White, with purple eye.

Etna. Crimson-scarlet, with dark crimson eye.

Eugene Danzenvillier. Varying shades of lavender.

Faust. White, with large crimson eye.

H. C. Wigers. White, with deep crimson eye.

Jocelyn. Salmon scarlet.

La Vague. Pink, with dark eye.

Michael Cervantes. White, with brilliant scarlet-crimson eye.

Pascha. Pink.

Robert Werner. Tender rose, with dark eye.

R. P. Struthers. Salmon pink.

Peachblow. Delicate pink, with white markings, deep rose eye.

Pantheon. Deep salmon rose.

Sunshine. Bright salmon pink, with bright rose eye.

Sylphide. Irregularly striped with lavender, pink and white.

Wm. Clibram. White and blush, with dark eye.

Zouave. Purplish crimson, with red eye.

Price of all the above: 15 c. each; \$1 per 10; \$6 per 100

# GENERAL LIST OF Hardy Perennials.

	EACH	10	100	1000
Achillea filipendula	\$0.15	\$0.50	\$	\$
" millefolium roseum	10	.50	3.00	25.00
" The Pearl	10	.40	2.50	20.00
" tomentosa	15	.50	4.00	
Acorus calamus, collected	10	.50	1.50	10.00
Adiantum pedatum	15	.60	3.00	25.00
Aletris farinosa, collected	10	.50	1.80	12.00
Alyssum saxatile	. 10	.50	5.00	
Andropogon macrourus, collected	. IO	.50	2.00	15.00
Anemone Pennsylvanica	20	.75		
" collected			5.00	
" nemorosa, collected	15	.60	3.00	
Anemonella thalictroides, collected	15	.60	3.00	
Anthemis Kelwayii	20	1.00		
Apios tuberosa	IO	.30	1.00	8.00
Aquilegia Canadensis	15	.75		
" collected		.50	2.50	20.00
" cœrulea hybrida	25	.75	4.00	
Aralia hispida	15	.75		
Arenaria squarrosa, collected	20	.70	3.00	25.00
Arisaema Dracontium, collected	20	.80	4.00	
" triphyllum, collected	10	.50	2.00	15.00
Asarum Canadense	15	.50	4.00	
Asclepias incarnata, collected	10	.50	2.50	20.00
" pulchra, collected	10	.50	3.00	20.00
obtusifolia, collected	20	.80		
" rubra	25			
" tuberosa, collected	20	1.00	6.00	40.00
Aspidium acrostichoides	10	.50	2.00	10.00
" aculeatum var. Braunii, collected .	30	1.25		
" cristatum, collected	20	.70	4.00	
" goldianum	25	1.25		
" marginale, collected	10	.50	2.00	10.00
" novaboracensis, collected	10	•50	2.00	10.00
" spinulosum, collected	15	.75	3.00	25.00
" thelypteris, collected	10	.50	2.00	10.00
Asplenium ebeneum, collected	10	.50	2.00	15.00
" trichomanes, collected	15	.60	3.00	
Aster concolor, collected	15	.75	5.00	
" linariifolius, collected	IO	.50	1.50	12.00
" longifolius, collected	15	•75		

	EACH	10	100	1000
Aster nemoralis, collected	20	80	5.00	
" Nova Anglae	15	.60	3.50	
" patens, collected	10	.50	2.00	15.00
" puniceus	20	.75		
" spectabilis, collected	10	.50	2.50	20.00
" tradescantii, collected	10	.40	2.50	20.00
" Tartaricus	15	-75	3.00	
Baptisia tinctoria, collected	25	1.00	3.00	
Boltonia asteroides	15	.75	4.00	
" glastifolia	25	1.00		
" latisquamae	15	.75	3.50	
Botrychium Virginicum, collected	20	.60	4.00	
Brasenia peltata, collected	IO	.50	2.00	15.00
Breweria Pickeringii, collected	25	1.00	6.00	
Calamagrostis brevipilis, collected	25	1.00	5.00	
" Nuttaliana, collected	25	1.00	6.00	
Calla palustris, collected	15	.75	4.00	
Callirhoe involucrata	15	.60	4.00	
Calopogon pulchellus, collected	15	.60	4.00	
Caltha palustris, collected	15	.60	3.00	25.00
Campanula carpatica	15	.75		-3
Camptosorus rhizophyllus, collected	15	.50	2.50	
Cassia Marylandica	15	.60	3.00	
Centrosema Virginica (root cuttings)		.25	.80	7.50
" White Lady (root cuttings)		.50	1.50	10.00
Chelone glabra, collected	IO	.50	3.00	10.00
Chimaphila maculata, collected	15	.60	3.00	
" umbellata, collected	15	.75	4.00	
Chrysopsis falcata, collected	20	.50	3.00	10.00
" Mariana, collected	10	.50	2.50	15.00
Cimcifuga racemosa, collected	15	•60	3.00	20.00
Claytonia Virginica, collected	15	.60	2.00	20.0
Clintonia borealis, collected	15	.60	3.00	
Coreopsis auriculata	10	.50		
" grandiflora (Harvest Moon)	15		1.50	
" lanceolata	-	.75	4.00	
11	10	.50	2.00	15.00
	15	•75		
	10	.60	4.00	
unilla Mariana, collected	20	.60	3.00	
sypripedium acaule, collected	15	.75	4.00	
Delphinium formosum	15	1.00		
" Chinese, white	10	.60		
Dentaria laciniata, collected	15	.60	3.00	
Dicentra Canadensis, collected	15	.75	2.50	15.00
" cucullaria, collected	15	.60	2.00	15.00
Dicksonia pilosiuscula	15	.60	2.00	10.00
Digitalis gloxinoides	15	•75		10,00

All plants in this list are nursery-grown unless otherwise specified.

Dianthus barbatus, fl. pl		IO	,60	4.00	1000
Dioscorea villosa, collected		25	1.50	4.00	
Dracocephalum Virginicum		10		2,00	
D C116 1 11 1 1			.60		10.00
		15	.60	1.50	10.00
intermedia		15		3.00	
Elodes Virginica, collected		15	.60	3.00	15.00
Epilobium augustifolium, collected		15	•75		
Erianthus alopecuroides, collected		15	.60	3.00	25.00
Eriocaulon gnaphalodes, collected		15	.60	1.50	
decangulare, confected		15	,60	2.00	
Eriophorum Virginicum, collected		15	•75	5.00	
		25	1.00		
" planum		25	1.00		
" Virginicum		15	•75	3.00	25.00
Erythronium Americanum, collected		15	.60	2.50	
Eulalia gracillima		IO	.50	2.00	18.00
" Japonica zebrina		15	.60	2.50	18.00
Eupatorium ageratoides		15	.75	4.00	
" collected		15	.60	3.00	20,00
" aromaticum, collected		20	.75	4.00	
		20	1.00	5.00	
" purpureum, collected	•	15	.60	3.00	20.00
7111		15	.50	3.00	20.00
		10		2.00	15.00
ipecacuanna, confected			.50		15.00
		15		3.00	
" subcordata		25	1,00		
Dicooldii		25	2.00	0	
11105. 11088	• . • .	25	1.25	8.00	
Gaillardia grandiflora		20	1.00	5.00	
" compacta	• (•	25	1.00	6.00	
Galactea glabella		20	.80	5.00	
Gentiana Andrewsii, collected		25	1.25	6.00	
" augustifolia, collected		25	1.50		
" saponaria, collected		25	1.00	6.00	
Geranium maculatum, collected		15	.60	2.50	
" sanguineum		15	.80	5.00	
Gerardia flava, collected		20	.75	4.00	
" quercifolia, collected		25	2.50	Las Indian	
O'11 . 1 . 10.11		25	1.00		
Goodyera pubescens		30	1.00		
G 11 1 11 1 1		15	.60	3.00	
		25	1.50	3.00	
Gypsophyla repens		_		F 00	
		15	.70	5.00	
charis, concetta		15	•75	5.00	
Helenium autumnale, collected		15	.60	2.00	15.00
" superba		15	.60	3.50	30.00

	EACH	10	100	1000
Helenium Boulanderi	25	1.00		
" grandicephalum striatum	. 15	.60	4.00	35.00
Helianthus angustifolius, col	15	.60	3.00	20.00
" decapetalus	20	.75		
" divaricatus, col	15	.60	2.00	15.00
" giganteus	15	.60	3.00	
" lætiflorus	10	.50	2.00	10.0
" Maximillianii	20	.80	5.00	
" mollis	20	•75		
" orgyalis	IO	.50	3.50	25.0
" strumosus	IO	.50	3.00	
Heliopsis Pitcheriana	25	1.00	5.00	
" scabra	20	1.00	·	
Helonias bullata, col	20	.85	4.00	30.0
Hemerocallis Dumortieri	15	.60	4.00	35.0
"flava	20	•75	4.00	55*-
" fulva	10	.60	2.00	15.0
"Kwanso plena	25	•••	2.00	13.0
wanso prend	25	1.25		
V COL	20	_	5.00	
CONTRACTOR OF THE CONTRACTOR O		·75 .60		20.0
•	15	.60	3.00	
citioba, coi	15		3.00	20.0
Heuchera Americana	15	•75	4.00	
COI	15	.50	2.00	15.0
Hibiscus moscheutos	15	.60	3.00	20.0
Clinison Eye	15	.60	2.50	18.0
" Rose Pink	15	.60	3.00	20.0
" militaris	15	·75	4.00	
Houstonia cœrulea, col	15	-50	3.00	
HymenocallisGalvestonensis(HardySpider Lily	25	1.00	6.00	
Hypericum angulosum, col	15	.60	3.00	
" ascyron	25			
beris sempervirens	20	1.00	5.00	
" superba	25	1.50	8.00	
pomea pandurata, col	25	1.00	6.00	
ris Germanica in special colors	15	1.00	4.00	
" prismatica, col	15	.60	2.00	15.0
" pumila	15	.60	2.50	Ü
" pseudacorus	10	.50	0-	
"Kæmpferii	15	.60	4.00	
"Siberica	15	1.00	5.00	
	_	1.00	3.00	
" versicolor, col	25	.60	T 50	70.0
versicolor, cor	15		1.50	12.0
Kosteletzkia Virginica (1 year)	15	•75	5.00	
(2 year)	25	1.00		
acuanthes tinctoria	10	.50	2.00	15.0
avendula spica	15	1.00		
Liatris graminifolia, col	10	.50	2.00	15.0
" punctata	20	•75		

	EACH	10	100	1000
Liatris pychnostachia	25	1.25	4.00	30.0
" scariosa	20	.75		
" spicata	20	.75	2.50	
Lilium Philadelphicum, col	25	.80		
" superbum	20	.75	4.00	
" Canadense flavum	20	.75		
" rubrum	20	•75		
Liparis liliifolia	25	1.25	8.00	
Lobelia cardinalis, col	20	.60	3.00	20.0
" syphilitica, col	25	.80	4.00	
Lophiola aurea, col	25	,60	3.00	25.0
Lupinus perennis	15	,60	4.00	-5
Lychnis chalcedonica	15	.60	4.00	
Lysimachia ciliata	15	.60	3.00	
" clethroides	15	.60	4.00	
" nummularia		.60	2.00	
" punctata	15	.60		
punctata	15	.60	3.00	
quadritona, cor	15		2.50	
ysimachia stricta	15	.60	2.00	
ythrum salicaria superba	15	.80	4.50	40.0
Malva moschata	15	·75		
Mertensia Virginica, col	20	∙75	3.50	25.0
Mikania scandens, col	25	1.00	5.00	
Mitchella, repens, col	10	.50	1.50	12.0
Monarda didyma coccinea	15	1.00	5.00	
" purpurea	15	1.00	5.00	
Narthecium Americanum, col	30	1.50	5.00	
Nepeta glechoma	IO	.50	2.00	
Nesæa verticillata, col	25	1.00	5.00	
Nuphar advena, col	25	1,00	6.00	
Nymphæa odorata, col	25	.75	3.00	
" minor, col	25	.75	3.00	
Enothera fruticosa, col	15	.60	2.00	18.0
"Youngii	15	·75		
Onoclea sensibilis, col	15	.50	2.00	10.0
" struthiopteris, col	15	.70	4.00	
puntia Raffinesquii	15	.60	2,00	15.0
Prontium Aquaticum, col	20	.90	6.00	45.0
Osmunda cinnamomea, col	20	1.00	6.00	35.0
" Claytoniana, col	20	.85	4.00	35.0
" gracilis, col	25	1.00	6.00	40.0
" regalis, col	20	1.00	6.00	40.0
Oxalis violacea, col	15	.60	3.00	4010
Pancratium Carribæmn	_	1.00	6.00	
	25	.60	2.00	TE C
	15			15.0
	10	.50	2.00	15.0
Pentstemon barbatus Torreyi	20	•75	4.50	
grandinorus	20	1.00	8.00	
" digitalis	20	1.00	5.00	

	AMERICAN	LAN	3 AND 311		
		EACH	10	100	1000
Pentstemon pubescens		15	.60	2.50	20.00
Peltandra Virginica, col		30	1.50	8.00	60.00
Phegopteris dryopteris		15	.60		
" hexagonoptera .		. 15	.60	3.00	
" polypodioides		. 15	.60		
Phlox divaricata, col		. 20	.75	3.00	25.00
" maculata, col		. 20	·75	3.50	
" subulata		. 15	.60	2.50	
aiva		. 15	.60	2.50	
Inc I call					
Plumbago larpentæ			.60	4.00	
Platycodon grandiflorum			.60	5.00	
arouni			.60	5.00	* # OO
Podophyllum peltatum, col		. 15	.60	2.00	15.00
Polypodium rulgare		. 20	·75 .60	3.00	70.00
Polypodium vulgare Pontederia cordata, col		15		2.00	10.00
Pteris aquilina, col		. 20	·75	4.00 2.00	30.00
Pycnanthemum linifolium		. 15	.50 .50	2.00	10.00
Pyrola chlorantha, col		. 15	.60	2.00	
" eliptica, col		. 15	.60	2.00	
" rotundifolia, col			.60	2.00	
Pyxidanthera barbulata, col		. 20	·75	3.00	25.00
Rudbeckia fulgida		. 20	.80	4.00	25.00
" hirta, col			.60	2.50	20.00
" laciniata			.60	3.00	25.00
	en Glow)		.50	3-50	20.00
" nitida			.60	3.00	
" speciosa			.80	5.00	
Sabbatia chloroides, col		. 25	·75	4.00	35.00
" lanceolata, col			.60	3.00	25.00
Salvia lyrata		. 10	.50	2.00	15.00
" azurea gradiflora			1.00		
Sanguinaria Canadensis			.60	2.00	18.00
Sarracenia purpurea, col		. 25	•75	3.00	25.00
Sclerolepis verticillata, col		. 20	·75	4.00	
Scirpus Eriophorum, col		. 15	.60	3.00	
Sedum acre		. 10	.50	3.00	20.00
" spectabile		. 15	1.00	5.00	
" ternatum		. 15	<b>.</b> 60 .	2.00	15.00
Silene Pennsylvanica		. 20	·75	5.00	
" stellata		. 15	.60	3.00	
Schizæa Pusilla		. 50	2.00		
Smilacina bifolia, col		. 20	·75	3.00	25.00
" racemosa, col		. 20	·75	3.00	25.00
Solidago altissimum, col		. 15	.60	2.50	
" cæsia, col		. 15	.50		
" Canadensis, col		. 15	.60	2.50	
" juncea, col		. 15	.50		

	EACH	10	100	1000
Solidago lanceolata, col		.50	2,00	15.00
" nemoralis, col	15	.60	2.00	15.00
" odora, col	10	.50	2.00	15.00
" puberula, col	15	.60	2.50	Ŭ
" sempervirens	IO	.60	2.50	20.00
" tenuifolia, col	10	.50	2.00	15.00
" virgata, col	20	•75	3.00	25.00
Statice latifolia	25	1.00		
Tephrosia Virginica, col	15	.60	2.00	18.00
Thalictrum cornuti, col	20	•75	3.00	25.00
" dioicum, col	20	•75	3.50	30.00
Tradescantia Virginica	15	.60	2.50	20.00
" alba	20	·75	3.50	
" fl. pl	25	1.00		
Trillium erectum, col	15	,60	3.00	
" album, col	20	·75	4.00	
" grandiflorum	15	.50	2.50	15.00
" roseum	20	·75	5.00	
Tritoma uvarta	25	1.25		
" Pfitzerii	25	1.25		
Thymus vulgaris	10	.60	4.00	
Typha angustifolia, col	15	.60	2.00	15.00
" latifolia, col	15	.60	2.00	15.co
Vernonia hybrida	15	1.25		
" novaboracensis, col	20	.80	4.00	35.00
Veronica Circæoides	15	·75	3.00	
Omemans	15	.50	2.00	18.00
" longifolia subsessilis	25	I.00		
Viola cucullata	10	.50	1.50	10.00
pedata, cor	15	.50	2.50	20.00
DICOIOI	25	1.00	7.50	
primuraciona, coi	20	•75	2.50	
THE Gem	25	<b>.</b>		
Water Hyacinth	15	.50	3.00	
Woodwardia angustifolia, col	15	.60 .60	2.50	20.00
** 1 11 1 1 1 1 1	15 15	.60	2.00	15.00
" " in strong clumps, col	25	1.50	2.00	13.00
Yucca filolamentosa	20	.70	3.50	30.00
" (heavy plants)	25	1.50	7.00	350
" (seedlings I yr. tr	10	.40	1.50	10.00

# Trees, Shrubs, and Woody Climbers

	EACH	10	100	1000
Acer Platanoides, 6 to 12 ft	30	2.50		
" " 3 to 6 ft	20	\$1.50	\$10.00	
" " i to 3 ft	10	.50	2.50	
" seedlings, 4 to 6 in		.25	1.00	
" Pennsylvanicum, I to 2 ft	20	1.00	6.00	
" rubrum, 4 to 8 ft	25	1.25		
" 4 to 5 ft, col	20	.80	4.00	
" 3 to 4 ft, col	20	•75	3.00	
" 2 to 3 ft, col	15	.50	2.50	\$15.00
saccharmum, o to 12 ft	40	3.50		
5 to 8 it	20	1.50	10.00	
spicatum, 2 to 3 it	25	1.25	6.00	
Akebia quinata, 2 years, heavy	15	.50	2.50	
1 year	Ю	.40	2.00	
Amelanchier Botryapium, col		.60	3.50	30.00
Canadensis, 3 to 4 ft, trans		1.75		
i year, trans		.60	3.50	
CO1		,60	3.00	
Totulidifolium,			<b>F</b> 00	
I to 2 ft, trans Amorpha fruticosa		·75 .60	5.00	
4 . 1		.60	2.00 3.00	
Ampelopsis quinquefolia, 2 years	_	2.00	12.00	
" " I to 2 ft	35 25	1.25	6.00	
1 10 2 10		.60	2.00	TT 00
" calyculata, col		.60	3.00	15.00 25.00
" Mariana, I to 2 ft	20	1.00	5.00	25.00
" 6 to 12 in	15	•75	4.00	
" col	-3	·75	3.50	25.00
" polifolia, 2 years	25	•75	4.00	23.00
" I year	10	.50	3.00	
" racemosa, I to 2 feet		•75	6.00	
" col	-0	.60	2.50	20.00
Arctostaphylos uva-ursi, col		.60	2.00	15.00
Asimina triloba, col	15	.60	3.50	30.00
Ascyrum Crux-Andræ, col	15	.60	2.00	Ü
" stans, col		.60	2.00	
Azalea arborescens, 2 to 3 feet	40			
" calendulacea, I to 2 feet	35	2.00	18.00	
" nudiflora, 2 to 3 feet		4.00		
" col		.60	3.00	. 25.00
" Vaseyi, 2 to 3 feet	40			
" viscosa, I to 2 feet	15	.80	7.50	
" " 2 to 3 feet	25	1.25	10.00	
" col		.60	3.00	25.00

	EACH	10	100	1000
Azalea viscosa, 3 to 6 feet, with ball, col	_	10.00		
This is an exceptionally fine, bushy lot, wel				
budded, and can be furnished in carload lot	S			
at special prices.			0	
Baccharis halimifolia, 3 to 4 feet		1.00	8.00	
" col	15	•75	4.00	30.00
Berberis Thunbergii, 10 to 12 in	_	•75		
" vulgaris, 10 to 12 in		.40	2.00	
Betula lenta, I to 2 feet, trans		.60	5.00	
3 to 4 reet, trans	25	1.25	10.00	0
COI		.50	2.50	18.00
nigia, 5 to o icci, inic		3.00	20.00	
0 to 10 feet		4.00	30.co	
COI		.60	3.00	20.00
populitona, 15 to 20 feet	40	3.00		
COI		.50	1.50	10.00
inica, 5 to 10 feet, cxiia	40	2.50		
papyracca				
Calycanthus Floridus, 6 to 10 in	. 10	•75	4.co	
Carpinus Americana, 4 to 6 feet	25	1.50		
3 to 4 reet	•	.80	7.50	
1 year, trans		•75	5.co	
COI		.50	3.50	30.0
Castanea Americana, 3 to 6 feet		1.50		
" Jap., special strain, 5 to 8 feet Ceanothus Americanus	40	3.00		
	. 10	.60	4.00	
conceted		.60	4.00	
	10		3.00	7.0
" col	7.5	.50 .80	2.00	15.0
" I to 2 feet	15		5.00	
Tro z reet		.50 1.00	3.00	
, ,	25		4.00	
conected		.60	4.00	30.0
Chionanthus Virginica, 3 to 5 feet	40	2.00	10.00	75.0
2 10 3 1001	30	1.25	6.00	50.0
1 to 2 feet	U	.60	3.50	
Clematis Virginica	15	.60	3.50	
confected		.50	2.50	18.0
Clethra alnifolia, 2 to 3 feet	. 15	.80	5.co	
" I to 2 feet	10	.50	3.00	25.0
" collected		.50	2.00	15.0
Comptonia asplenifolia, 12 to 15 in	20	·75	6.00	
" collected		.50	1.50	10.00
Cornus alternifolia, col		.50	3.00	25.0
" Florida, 3 to 5 feet	25	2.00	15.00	
"	15	1.00	10.00	
" collected		.60	3.50	20.00
" mas., 3 to 4 feet	20	1.00	8.00	

			462	4000
Cornus mas., 2 to 3 feet	EACH	.10 •90	100 5.00	1000
" circinata, 2 to 3 feet		1.50	5.00	
" col	. 25	.60	3.50	30.00
" paniculata, 1 to 3 feet	. 20	1.00	3.30	30.00
" col	. 20	,60	3.00	25.00
" sanguinea, 3 to 4 feet	. 20	·75	3.00	23,00
" sericia, 3 to 4 feet		·75		
" " I to 2 feet	. 20	.50	4.00	
" col	4	.60	2.50	20.00
" stolonifera, I to 2 feet		.60	3.00	
Corylus Americana, 2 to 3 feet, fine		1.25	10.00	
" col		,60	3.00	20.00
Cratægus parvifolia, 2 to 3 feet, heavy	. 30	1.75	Ŭ	
" col		.60	4.00	35.00
" crus-galli, 3 to 4 feet	. 40	2.00	·	00
Cupressus thyoides, col		.50	1.50	8.00
Diervilla trifida, trans		.60	4.00	
" col		.60	3.00	25.00
" sessilifolia, 3 so 4 feet	. 20	1.00		
Dimorphanthus Mandschuricus, 4 to 7 feet .	50	3.00		
Diospyros Virginica, col		•75	4.00	
Dirca palustris, trans	. 20	.75	·	
Epigea repens, col. seedlings, with ball	. 25	1.00	6.00	
Euonymus Americanus, trans	. 15	.60	3.50	
" col		<b>.</b> 60	2.50	20.0
" radicans, strong		.60	3.50	
" variegated		. •75		
" Europæus, 3 to 4 feet		1.00	4.00	
" 2 to 3 feet	. 15	.60	3.00	0
Forsythia Fortunei, 3 to 5 feet	. 15	.60	4.00	
Fraxinus Americanus, col		•75	3.00	25.0
C 141	, 10	.40	1.50	10.0
Gaylussacia Dumosa	. 15	.60	3.50	10.0
" col		.60	2.50	20.0
" frondosa	15	.60	5.00	20.0
" col	13	.50	3.00	25.0
	15	.50	2.00	25.0
Gleditschia inermis, 10 to 20 feet		5.00	40.00	15.0
" " 6 to 10 feet	. 50	3.00	20.00	
" " 3 to 6 feet	_	1.00	8,00	
Halesia tetraptera, 4 to 6 feet			0.00	
Hammamelis Virginica, 2 to 4 feet	25	1.25 1.00		
" I to 2 feet		.50	4.00	
1 to 2 feet ,		.50 .60	•	20.0
Hudsonia ericoides, col	10		3.50	30.0
" tomentosa, col		.50 .60	2.00	15.0
			3.00 6.00	20.0
Hydrangea arborescens, 2 to 3 feet		•75 •60		
" col		.00	3.00	25.0

· ·	EACH	10	100	1000
Hypericum densiflorum, col	.15	60	1.50	10.00
Ilex glabra, 6 to 12 inch, col	15	.60	3.00	20.00
" I to 2 feet, with ball, col	50	3.00	17.00	
" 2 to 3 feet, with ball, col	1.00	6,00	40.00	
Ilex Opaca, 2 to 4 feet, trans	50	3.00	25.00	
" trans., berry bearing \$1	to \$3			
" col, seedlings		•75	4.00	35.00
" col, I to 2 feet, very bushy		1.50	12.00	
Prices quoted on larger sizes on application We cut leaves from all Ilex opaca as soon as dug.				
Ilex verticillata, 2 to 3 feet, berry bearing	75	5.00	30.00	
" col		.85	4.00	30.0
Itea Virginica, 1 to 2 feet	15	.50	3.00	
" col		.50	2.50	
Juniperus Virginiana, col	15	.50	2.00	15.0
Kalmia angustifolia, col		.60	2.00	15.0
" glauca, 12 to 15 in	25	1.00	6.00	
" latifolia, 2 to 3 feet, trans., bushy	50	3.00		
" 6 to 12 inch, col		.60	2.50	15.0
" 2 feet, with ball, col	40	2.50	20.00	
We have a fine lot of this grade of Kalmias growing on land which was burned over three years ago, which we can furnish by thousand or carload at special prices.				
Kolreuteria paniculata, I to 3 feet	10	.50	3.00	25.0
Ledum latifolium, 8 to 12 inch, bushy	30	1.50	8.00	
Ligustrum Ibota	. 20	•75		
Leiophyllum buxifolium, col	. 15	.60	2.00	15.0
Leucothoe Catesbæii, I to 2 feet	15	1.00 .60	6.00	
Lindera Benzoin, 12 to 18 inch	10	.80	4.00	
" col	20	.60	5.00	25.0
Liquidambar styraciflua, 6 to 8 feet	50		3.00	25.0
" 4 to 6 feet	50	3.50	25.00	
" 2 to 4 feet	35	3.00 1.00	25.00 8.00	
" col	20	.60	2,00	15.0
Liriodendron tulipifera, 6 to 8 feet	25	2.50	18.00	15.0
" 5 to 6 feet	35 25	2.00	12.00	100.0
" 4 to 5 feet	15	1.25	10.00	75.0
Lonicera Brachypoda, col	15	.60	3,00	25.0
" fragrantissima, 2 to 3 feet	15	.50	, 3.00	23.0
" Halleana, 2 years	35	•75	3.50	25.0
Lyceum vulgare	10	.50	2.50	2010
Magnolia glauca, 1 year, trans	15	·75	0-	
" coll	15	·75	3.00	25.0
Menispermum Canadense, coll	15	.60	2.50	20.0
	0			
*	30	1.00	6.00	
Myrica cerifera, 1 to 2 feet, bushy	30	1.00 ·75	6.00 5.00	

	EACH	10	100	1000
Myrica gale, I to 2 feet, trans	15	.80	6.00	
" col		.75	3.50	30.0
Nyssa, multiflora, trans	15	1.00		
Ostrya Virginica, col		.75	4.50	40.0
Phelodendron amurence, 4 to 6 feet	20	1.25		
Photinia villosa, 4 to 6 feet	30	2.50		
Platanus orientalis, 10 feet	40	3.00		
" 5 to 10 feet	25	2.00	15.00	
" 3 to 5 feet	15	1.00	8.00	
otentilla fruiticosa, I to 2 feet	15	.60	3.00	
Prunus maritima, col	15	.60	3.00	20.
" pumila, 1½ to 3 feet	30	1.25		
" coll	25	1.00	6.00	
" serotina, coll	15	.60	3.00	20.
" Virginiana, col	15	.60	3.00	25.
Pyrus arbutifolia, 2 to 3 feet	15	.60	4.00	35.
" coll		.60	2.00	18.
" var. Brilliantissima, 2 to 3				
feet, bushy	25	1.75	10.00	
" var. Brilliantissima, 1 to 2 ft	15	1.25	7.50	
" melonocarpa, black-fruited	15	•75	4.50	35-
" col		.60	.00	18.
hododendron maximum, 2 years	25	1.50	8.00	
" coll, seedlings,			THE STATE OF THE PARTY OF THE P	
6 to 12 in		75	2.00	18.
thus aromatica, I to 2 ft	20	1.50		
" copallina, 2 to 3 feet	15	.80	4.00	
" I to 2 feet		-75	3.50	
" coll		.50	2.00	15.
" glabra, 2 to 3 feet	15	1.00		
" coll		•75	3.00	
" typhina, coll	15	.60	2.50	20.
libes Floridum	10	.80	4.00	
obinia hispida	15	.50	3.00	25.
osa blanda	15	•75	5.00	
" Carolina	15	.60	3.00	
" coll		.60	2.00	18.
" lucida	15	.60	4.00	
" coll		50	2.50	20
" nitida	20	1.25	7.00	
" rugosa	20	1.25	8.00	
" setigera	15	1.25	7.00	
Lubus Canadensis, col	IO	.40	1.50	10.
" cuneifolius, coll	10	.40	2.00	15.
" hispidus	10	.60	2.00	
" coll		.50	1.50	7.
" odoratus	20	•75	3.00	
" col		.50	2.00	15.

	EACH	10	100	1000
Salix Britzensis, I year	10	.50	3.00	
Sambucus Canadensis, 3 to 5 feet	20	•75	5.00	
Sassafras, I year, trans	15	1.00	5.00	
" col		*50	3.00	25.00
Smilax, rotundifolium, col	15	.60	3.00	25.00
" Walterii, col	25	1.00	6.00	
Spiræa Anthony Waterer, 2 to 3 feet	25	1.75		
" opulifolia, 4 to 6 feet	20	.75		
sanchona, 3 to 4 feet	. 15	.60	3.50	100
tomentosa, 3 to 4 feet	15	.60	2.50	20.00
COI		.60	2.00	15.00
arba, 2 to 4 reet	15	.60	3.00	25.00
Staphylea trifolia, col	15	.60	3.00	25.00
Stephanandra flexuosa	15	1.25	7.50	
Stuartia pentaginia, 8 to 12 inch Symphoricarpus racemosa, 2 to 3 feet	15 15	.60	7.50	
" vulgaris, 3 to 4 feet	15	.60	3.50	25.00
" 2 to 3 feet	10	.50	2.00	20.00
Syringa Persica	25	.30	2.00	
Tecoma radicans	10	.50	2.50	20.00
Ulmus Americana, 3 to 4 feet	15	1.00	5.00	
Vaccinium corymbosum, 1 to 2 feet	15	.80	6.00	
" col		.60	3.00	25.00
" macrocarpon, col	TO	.50	1.50	10.00
" Pennsylvanicum, col		.60	3.00	25.00
" stamineum, 8 to 12 inch	15	.80	6.00	
" col		.75	4.00	30.00
" vacillans, 6 to 12 inch	10	.60	4.00	
coi		.60	2.00	15.00
Viburnum acerifolium, I to 2 feet	15	1.00	10.00	** **
CO1 ,		.60	3.00	25.00
cassinoides, I year, trans	20	1.00	7.50	
" dentatum, 2 to 3 feet, trans	25	1.50	8.00	
" I to 2 feet		.60	4.00	35.00
" nudum, col		.60	3.00	25.00
" prunifolium, I foot	30	1.25	3.00	25.00
" col	30	.80	5.00	
" tomentosum, 2 to 4 feet	30	1.25		
Virgilia lutea, 6 to 10 inch	15	1.00	6.00	
Xanthoxylum Americanum	25	.80		
" col		.75	4.00	30.00
Zanthoriza apiifolia	20	1.25	6.00	
		==		
Coniferous Ex	70#0*#	oone		
Connerous L	reigi	cells.		
	-			
Arborvitæ, American, 1 to 4 feet	15	•75		
Dwarr, 1 to 2 lect	25	1.50		
Blue Fir, Picea concolor, 3 to 4 feet	35	2.50		
Colorado Blue Spruce, seedlings, 1 to 2 feet .	35	2.50		
Douglas Fir, 2 to 3 feet	25	2.50		
Norway Spruce, 2 to 4 feet	15	1.00	7.00	
	25	1.50	10.00	
	23			Maria Maria
Pinus rigida, seedlings, col		.50	1.50	12.00



Andromeda Mariana